

# Multiple point evaluation on combined tensor product supports

R. Hiptmair, G. Phillips\* and G. Sinha†

Research Report No. 2011-63  
October 2011

Seminar für Angewandte Mathematik  
Eidgenössische Technische Hochschule  
CH-8092 Zürich  
Switzerland

---

\*Neue Kantonsschule, 5000 Aarau, Switzerland

†Department of Mathematics and Statistics, IIT Kanpur, India

# Multiple Point Evaluation on Combined Tensor Product Supports

R. Hiptmair\*      G. Phillips†      G. Sinha‡

16 Nov 2009

**Abstract.** We consider the multiple point evaluation problem for an  $n$ -dimensional space of functions  $[-1, 1]^d \mapsto \mathbb{R}$  spanned by  $d$ -variate basis functions that are the restrictions of simple (say linear) functions to tensor product domains. For arbitrary evaluation points this task is faced in the context of (semi-)Lagrangian schemes using adaptive sparse tensor approximation spaces for boundary value problems in moderately high dimensions.

We devise a fast algorithm for performing  $m \geq n$  point evaluations of a function in this space with computational cost  $O(m \log^d n)$ . We resort to nested segment tree data structures built in a preprocessing stage with an asymptotic effort of  $O(n \log^{d-1} n)$ .

**Keywords.** (Multilevel) segment tree, adaptive sparse tensor product approximation

## 1 Introduction

We fix the dimension  $d \in \mathbb{N}$  and denote by  $W$  a low-dimensional vector space of real valued functions  $[-1, 1]^d \mapsto \mathbb{R}$  on the  $d$ -dimensional hypercube. The main specimens are provided by spaces of multivariate polynomials. For some (large)  $n \in \mathbb{N}$  we are given *arbitrary* sequences of points  $\mathbf{a}_k, \mathbf{b}_k \in [-1, 1]^d$ ,  $k = 1, \dots, n$ , with  $\mathbf{a}_k < \mathbf{b}_k$ , where “ $<$ ” is understood in a componentwise sense. The characteristic function of a non-degenerate tensor product box with corners  $\mathbf{a}, \mathbf{b} \in \mathbb{R}^d$ ,  $\mathbf{a} < \mathbf{b}$ , is defined according to

$$\chi_{\mathbf{a}, \mathbf{b}}(\mathbf{x}) := \begin{cases} 1 & \text{, if } a_i \leq x_i < b_i, \quad i = 1, \dots, d, \\ 0 & \text{elsewhere,} \end{cases} \quad \mathbf{x} \in [-1, 1]^d.$$

---

\*SAM, ETH Zürich, CH-8092 Zürich, hiptmair@sam.math.ethz.ch

†Neue Kantonsschule, CH-5000 Aarau, gisela.phillips@nksa.ch

‡Department of Mathematics and Statistics, IIT Kanpur, India, gauravsinha420@gmail.com

Based on another sequence  $(\varphi_1, \dots, \varphi_n) \in W^n$  we introduce the linear combination of basis functions with tensor product supports

$$\Psi(\mathbf{x}) := \sum_{k=1}^n \varphi_k(\mathbf{x}) \cdot \chi_{\mathbf{a}_k, \mathbf{b}_k}(\mathbf{x}), \quad \mathbf{x} \in [-1, 1]^d. \quad (1)$$

The summands will be called box (supported) functions in the sequel.

The following computational task addresses the multiple evaluation of  $\Psi$  in many points.

**Task 1.** *Given  $m \geq n$  points  $\mathbf{x}_k \in [-1, 1]^d$ ,  $k = 1 \dots, m$ , compute the  $m$  values  $\Psi(\mathbf{x}_k)$ .*

A naive implementation that relies on the straightforward summation of (1) requires an asymptotic computational effort of  $O(mn)$ , where we tacitly assume that a single evaluation  $\varphi_k(\mathbf{x})$  can be done with  $O(1)$  cost.

In this article we propose data structures and an algorithm that allow to perform the evaluations of Task 1 with computational cost  $O(m \log^d n)$  for  $m, n \rightarrow \infty$ , which means a considerable acceleration for large  $n, m$ . This can be achieved through a smart preprocessing step involving an effort of  $O(n \log^{d-1} n)$ , see Proposition 4.3. This reduces the cost of a single point evaluation to  $O(\log^d n)$ , see Proposition 5.2. We acknowledge that the constants in the estimates may depend on  $d$  and will usually do so in an exponential fashion. This is acceptable, because storing a single function  $\varphi \in W$  will usually take  $p^d$  bits for some  $p > 1$ . For example, if  $W$  is the space of affine linear functions, we need  $2^d$  coefficients to characterize any  $\varphi \in W$ .

A special case of functions represented as sums like (1) occurs in the context of sparse adaptive tensor discretizations also known as adaptive sparse grids. There,  $W$  will be the  $d + 1$ -dimensional space of affine linear functions  $\mathbb{R}^d \mapsto \mathbb{R}$ , and the corner points are taken from a special set of nodes of hierarchical tensor product meshes. More precisely, we have for some maximal “level”  $L \in \mathbb{N}$

$$\mathbf{a}_k, \mathbf{b}_k \in \left\{ (i_j 2^{-l_j})_{j=1}^d : l_j = 0, \dots, L, i_j \in \{-2^{l_j}, \dots, 2^{l_j}\}, i_j \text{ odd} \right\}.$$

For more information about (adaptive) sparse tensor product spaces and their use to break the so-called “curse of dimensionality” in the approximation of solutions of moderately high-dimensional boundary value problems we refer to [1] and [8].

Usually, sparse grids functions need not be evaluated at arbitrary points. The exception are transport problems tackled by means of so-called semi-Lagrangian schemes, see, e.g., [6]. These methods follow the trajectories of a flow field over a short time to determine interpolation points. These can be located anywhere, if general flow fields are admitted. The semi-Lagrangian approach in combination with adaptive sparse grid spaces offers a promising numerical technique for moderately high-dimensional boundary value problems arising in areas as diverse

as optimal control [4] and kinetic equations [2]. This has motivated the present article.

In order to demonstrate the gist of the algorithms, we resort to pseudo-codes with a syntax borrowed from C++ and the standard template library (STL) [7]. Yet, we emphasize, that the code snippets enclosed in this article are “pseudo-code”. They are bare bones and for the sake of lucidity were neither intended to be syntactically correct nor to comply with best practices of proper object oriented implementation.

## 2 Basic data structures

We rely on the class `Interval` that supports the usual operations (on one-dimensional bounded, half-open intervals  $\subset \mathbb{R}$ ) like a point enclosure query method `bool contains(double)`, an intersection test `bool intersect(const Interval &l1, const Interval &l2)` and an inclusion test `bool contains(const Interval &subl)`. The function `Interval merge(const Interval &l1, const Interval &l2)` creates a new `Interval` object that combines two *adjacent* intervals into one.

A  $d$ -dimensional bounded tensor product domain, a “box”, can be encoded by a sequence of  $d$  intervals, which suggests the data type

```
typedef vector<Interval> Box .
```

Thus a single term in (1) corresponds to an object of type `BoxFunction`, whose definition is given in Listing 1. The operator member function `operator [](int)`, given an argument  $i \in \{0, \dots, d-1\}$  serves to access  $[a_{i+1}, b_{i+1}[$ , when the `box` data field stores  $[a_1, b_1[ \times \dots \times [a_d, b_d[$ . An object of type `WFunction` stores a function  $\in W$ . It is supposed to provide the usual (real) vector space operations through overloaded arithmetic operators  $+, -, *, /, +=, -=, *=, /=$ . Hence, the `phi` data field provides the  $\varphi_k$  component of a term in (1).

Listing 1: Class definition for a function with tensor product support

```

1 class BoxFunction {
2 public:
3     Box box;
4     WFunction phi;
5
6     BoxFunction(const Box &b, const WFunction &f);
7     int dim(void) const { return box.size(); }
8     const Interval &operator [] (int) const;
9 };

```

A sum of the form (1) can be represented as an object of type

```
typedef list<BoxFunction> BoxFnSeq; .
```

Our algorithm expects an input of this type, but it could as well operate on suitable read-only iterator ranges.

### 3 Segment trees

A one-dimensional *segment tree* is a balanced binary search tree that can be used to answer the point enclosure query for a collection of intervals efficiently, see [3, Ch. 10] and [5, Sect. 2.2]. Here, we briefly review data structures, algorithms, and complexity issues connected with this fundamental concept from computational geometry.

The one-dimensional point enclosure problem reads as follows: given a collection of intervals

$$\{[a_k, b_k[: -1 \leq a_k < b_k \leq 1, k = 1, \dots, n\}, \quad n \in \mathbb{N},$$

and a point  $\xi \in [-1, 1[$ , find those intervals that contain  $\xi$ . A straightforward implementation will take  $O(n)$  comparisons to arrive at an answer. However, once the corresponding segment tree has been constructed with  $O(n \log n)$  cost, the point query can be answered with computational effort  $O(\log n + K)$ , where  $K$  is the number of intervals reported, see [3, Ch. 10].

The nodes of a segment tree possess a so-called *comparison interval* as key data field, see the class definition of `SegTreeNode` in Listing 2.

Listing 2: Data type for node of a segment tree

```

1 class SegTreeNode {
2 public :
3     SegTreeNode *leftson , *rightson ; // tree structure fields
4     const Interval compintv ; // comparison interval
5     list<const BoxFunction &> loclist ; // list of box functions
6 // Data fields discussed in Sect. 4
7     SegTreeNode *subtreeroot ;
8     WFunction locfun ;
9
10    SegTreeNode(const Interval &l , SegTreeNode
11                *ls=NULL, SegTreeNode *rs=NULL) ;

```

Another important data field of `SegTreeNode` is the local list `loclist` of box functions. Its actual significance will be explained in the next section. For the time being we remark that, for a fixed coordinate direction  $1 \leq i \leq d$ , the  $i$ -th interval of the tensor product support of every function stored in `loclist` will contain the comparison interval of the node, *cf.* the discussion of the function `registerInterval` from Listing 4.

The first pass of the construction of segment trees for Task 1 is executed by the function **buildSegTree** of Listing 3, cf. [5, Algorithm 2.3].

Listing 3: Building a one-dimensional segment tree

```

1 SegTreeNode *buildSegTree(int i, const BoxFnSeq &fseq) {
2     vector<double> bd(2); bd[0] = -1.0; bd[1] = 1.0;
3     for(BoxFnSeq::const_iterator
4         f=fseq.begin(); f!=fseq.end(); f++) {
5         const Interval &intv((*f)[i-1]);
6         bd.push_back(intv.a); bd.push_back(intv.b);
7     }
8     // Sort vector bd and eliminate duplicate elements
9     sort(bd); unique(bd);
10    list<SegTreeNode*> t;
11    for(i=0; i<bd.size()-1; i++)
12        t.push_back(new
13            SegTreeNode(Interval(bd[i], bd[i+1])));
14    int n_sons;
15    while((n_sons = t.size())>1) {
16        int n_parents = n_sons/2;
17        for(int i=0; i<n_parents, i++) {
18            SegTreeNode *ls = t.front(); t.pop_front();
19            SegTreeNode *rs = t.front(); t.pop_front();
20            Interval parentintv =
21                merge(ls->compintv, rs->compintv);
22            t.push_back(new SegTreeNode(parentintv, ls, rs));
23        }
24        if(n_sons > n_parents*2) {
25            // In case of an odd number of intervals
26            t.push_back(t.front()); t.pop_front();
27        }
28    }
29    return (t.front());
30 }

```

**Definition 3.1.** A balanced binary tree created by **buildSegTree** is called a *segment tree*.

The notions of root (node) and of  $\text{depth}(\mathbf{N})$  of a node  $\mathbf{N}$  are borrowed from the standard terminology for binary trees. So is the depth  $\text{depth}(\mathcal{T})$  of a segment tree  $\mathcal{T}$  and notions like “parent” and “child” of a node. All nodes with the same depth form a level of the tree

$$\mathcal{L}_l(\mathcal{T}) = \{\mathbf{N} \in \mathcal{T} : \text{depth}(\mathbf{N}) = l\}, \quad l = 0, 1, \dots$$

For an interval sequence of length  $n$  the function `buildSegtTree` displayed in Listing 3 queries the sections of the support boxes in coordinate direction  $i$  and constructs a segment tree  $\mathcal{T}$  with

$$\text{depth}(\mathcal{T}) \leq \lceil \log_2(2n + 1) \rceil \leq \Delta(n) := 1 + \log_2(n + 1), \quad (2)$$

and a bound on the number of nodes according to

$$\#\mathcal{T} \leq 4n + 1. \quad (3)$$

Due to the sorting step, the computational effort involved is  $O(n \log n)$  for  $n \rightarrow \infty$ . By construction the interval owned by each parent node is the union of the intervals of its children (see Line 18 of Listing 3)

$$\begin{aligned} \text{Nl} = \text{*N.leftson} & \Rightarrow \text{N.compintv} = \text{Nl.compintv} \cup \text{Nr.compintv}, \\ \text{Nr} = \text{*N.rightson} & \end{aligned} \quad (4)$$

see Figure 1 for an example.

**Proposition 3.2.** *The comparison intervals of all nodes of a segment tree  $\mathcal{T}$  on a particular level  $0 \leq l \leq \text{depth}(\mathcal{T})$  form a partition of an interval  $[-1, \xi[$  for some  $-1 < \xi \leq 1$ .*

*Proof.* On the leaf level the comparison intervals give a partition of  $[-1, \xi[$  defined by the endpoints of the box cross sections in coordinate direction  $i$ . The whole interval  $[-1, 1[$  may not be covered, because, in case the number of intervals is odd, the last one is moved to the next coarser level of the tree, see Line 23 of Listing 3.

The `while`-loop (Lines 13–24) in `buildSegTree` creates the levels of the tree. If `n_sons` is even, pairs of comparison intervals are merged into the comparison intervals of the next coarser level. If `n_sons` is odd, the last interval is promoted to the next coarser level, *cf.* Figure 1.  $\square$

A box supported function is added to the `loclist` data member of a node, if the cross section of its support box in coordinate direction  $i$

- contains the comparison interval of that node,
- but *fails* to contain the comparison interval of its parent node.

This rule is implemented in the recursive function `registerInterval` given in Listing 4. See also Figure 2 for an example.




Figure 1: Segment tree built from a collection of intervals represented by colored vertical bars on the left: nodes are represented by their comparison intervals, parent-child relationships are indicated by arrows

Listing 4: Registering box supported functions in local lists

```

1 void registerInterval(int i, SegTreeNode *n, const
   BoxFunction &f) {
2   const Interval &intv(f[i-1]);
3   if (intv.contains(n.compintv))
4     n.loclist.push_back(f);
5   else {
6     if (((SegTreeNode *ls = n->leftson) != NULL) &&
7         intersect(ls->compintv, intv))
8       registerInterval(i, ls, l);
9     if (((SegTreeNode *rs = n->rightson) != NULL) &&
10        intersect(rs->compintv, intv))
11       registerInterval(i, rs, l);
12  }}

```

n

**Proposition 3.3.** Assume that `registerInterval(i, root, f)` is invoked with `root` a pointer to the root of a segment tree  $\mathcal{T}$  built from a list of  $n$  box functions with






Figure 2: Intervals added to the `loclist` fields of nodes of the segment tree from Figure 1 are represented by squares in the color of the interval

$f$  being one of them. Then

- (i) at most  $4 \cdot \text{depth}(\mathcal{T})$  recursive calls to `registerInterval` will be made,
- (ii)  $f$  will be inserted into at most  $2 \lceil \log_2(2n + 1) \rceil$  nodal lists,

*Proof.* Denote by  $\mathcal{N}(f)$  the set of nodes of the segment tree, for which a recursive function call `registerInterval`( $i, \dots, f$ ) is made, see Lines 8, 11 in Listing 4. We first show

$$\#\left(\mathcal{N}(f) \cap \mathcal{L}_l(\mathcal{T})\right) \leq 4 \quad \forall l = 0, \dots, \text{depth}(\mathcal{T}) . \quad (5)$$

We adapt an argument from [5, Proof of Lemma 2.4]. Assume that there was a level  $l$ , for which (5) was not true. Note that `registerInterval`( $i, n, f$ ) is invoked, if the cross section  $I$  in coordinate direction  $i$  of the support box of  $f$  intersects the comparison interval of the node  $*n$ . Since, by Prop. 3.2 the comparison intervals of the nodes on level  $l$  are contiguous, there would be at least five nodes on level  $l$  with *contiguous* comparison intervals that have an overlap with  $I$ . Hence, the *adjacent* comparison intervals of three of them must be contained in  $I$ . As a consequence there is a parent node on level  $l - 1$ , whose comparison interval is

contained in  $I$ . In this case **registerInterval** is not invoked for any son node and interval  $I$ . This contradiction confirms (5).

The same arguments bear out that

$$\#\{\mathbf{N} \in \mathcal{L}_l(\mathcal{T}) : \mathbf{N}.\text{compintv} \subset I \wedge \text{parent}(\mathbf{N}).\text{compintv} \not\subset I\} \leq 2, \quad l \geq 1.$$

Only for these nodes the box function  $f$  is appended to **loclist**, cf. Lines 3, 4 of Listing 4. In light of the bound (2) the assertion follows.  $\square$

**Corollary 3.4.** *The accumulated length of all local lists stored in the **loclist** data fields of the nodes of a segment tree  $\mathcal{T}$  built from a list of  $n$  box supported functions by **buildFullSegTree** is bounded by*

$$\sum_{\mathbf{N} \in \mathcal{T}} \mathbf{N}.\text{loclist}.\text{size}() \leq \Phi(n) := 2n(2 + \log_2(n + 1)).$$

**Corollary 3.5.** *The computational effort for **buildFullSegTree**, see Listing 5, when invoked for a sequence of  $n$  box supported functions amounts to  $O(\Phi(n))$  work units<sup>1</sup> for  $n \rightarrow \infty$ .*

Listing 5: Building a one-dimensional segment tree complete with interval lists

```

1 SegTreeNode *buildFullSegTree(int i, BoxFnSeq &fseq) {
2   SegTreeNode *root = buildSegTree(i, fseq);
3   for(BoxFnSeq::const_iterator
4     f=fseq.begin(); f!=fseq.end(); f++) {
5     registerInterval(i, root, *f); }
   return root; }

```

**Lemma 3.6.** *Let the segment tree  $\mathcal{T}$  be built by **buildFullSegTree**( $i, fseq$ ) and  $f$  be a box supported function contained in the list  $fseq$  with support  $[a_1, b_1[ \times \cdots \times [a_d, b_d[$ . Then*

$$[a_i, b_i[ = \bigcup \{\mathbf{N}.\text{compintv} : \mathbf{N} \in \mathcal{T}, f \in \mathbf{N}.\text{loclist}\}.$$

provides a partition of  $[a_i, b_i[$ .

*Proof.* The assertion of the lemma is an immediate consequence of the fact that all support intervals are the union of comparison intervals, because both **buildSegTree** and **registerInterval** operate on the same list of functions. In addition the partition property stated in the lemma is a consequence of Prop. 3.2.  $\square$

<sup>1</sup>As a work unit we regard a single comparison, branching, or arithmetic operation. This may not be directly related to computing time.

## 4 Box function tree

Now we turn the issue of how to handle multidimensional tensor product supports in order to facilitate the fast point evaluation sought in Task 1. This will be done by means of nested segment trees, each of which belongs to a particular coordinate direction  $i$ ,  $1 \leq i \leq d$ . In short, we refer to this number  $i \in \{1, \dots, d\}$  as the *direction* of the tree and its nodes.

In computational geometry nested segment trees are known as *multilevel segment trees*, see [5, Sect.2.3]. They are used for efficient point enclosure queries for  $d$ -dimensional boxes; more precisely, the data structure allows to access all boxes containing a given point with effort  $O(K + \log_2^d n)$  after a preprocessing stage that costs  $O(n \log_2^d n)$ . Here,  $K$  is the number of enclosing boxes found. This is not a useful estimate for our purpose, because all the supports of the terms in (1) may have non-empty intersection. In case the point  $\mathbf{x}$  lies in this intersection, we encounter  $K = n$  and, consequently,  $O(n)$  cost for evaluating  $\Psi(\mathbf{x})$ . On the other hand, we do not care about which boxes contain  $\mathbf{x}$ . This suggests that we modify the standard algorithms and augment it by an extra *accumulation step* in the preprocessing stage. This section gives the details.

In a nested segment tree, each node of direction  $i > 1$  may hold another segment tree of direction  $i - 1$ ; through the `subtreeroot` data field of `SegTreeNode` the node can access the root of this segment tree (subtree), which may be empty. The subtrees are built recursively as segment trees spawned by the local box function lists ( `loclist` field, see Line 5 of the class definition of `SegTreeNode` in Listing 2) attached to the nodes of the current tree, see the routine `buildSubTrees` given in Listing 6 and [5, Algorithm 2.7]. We start from the  $d$ -th coordinate direction in the function `initBoxTree`, see Listing 7, and work our way down to coordinate direction 1. Thus, the level of the recursion in `buildSubTrees` will determine the direction of a subtree and its nodes.

Listing 6: Recursive construction of multidimensional segment tree (box tree)

```
1 void buildSubTrees(int i, SegTreeNode *root) {
2   if (root != NULL) {
3     list<const BoxFunction &> &loclist = root->loclist;
4     if (!loclist.empty()) {
5       if (i > 1) {
6         root->subtreeroot =
7           buildFullSegTree(i - 1, loclst);
8         buildSubTrees(i - 1, root->subtreeroot);
9       }
10      else {
11        sumLocFn(loclist, root->locfun);
12      }
13      (root->loclist).clear(); // Clear local lists, optional
14    }
15  }
```

```

13     }
14     buildSubTrees(i, root->leftson);
15     buildSubTrees(i, root->rightson);
16 }

```

Listing 7: Initialization of a box tree

```

1 SegTreeNode *initBoxTree(int d, BoxFnSeq fseq) {
2     SegTreeNode *root = buildFullSegTree(d, fseq);
3     buildSubTrees(d, root);
4     return root; }

```

**Definition 4.1.** We dub multilevel segment trees created by **initBoxTree** from Listing 7 *box function trees*.

Let us single out a node of direction  $i = 1$  of a box function tree. It owns a comparison interval  $I_1$ . The corresponding subtree is attached to a node of direction 2, which holds a comparison interval  $I_2$ , and so forth. Thus we can associate a unique  $d$ -dimensional box  $I_1 \times I_2 \times \dots \times I_d$  to each node of direction 1. All these boxes form an overlapping tiling of  $[-1, 1]^d$  and we refer to them as *comparison boxes*.

Listing 8: Summation of basis functions that are uniform on a  $d$ -dimensional box

```

1 void sumLocFn(BoxFnSeq &fseq, WFunction &func) {
2     for(BoxFnSeq::const_iterator
3         f=fseq.begin(); f!=fseq.end(); f++)
4         func += f->phi; }

```

An explanation for the invocation of the function **sumLocFn**, see Listing 8, in Line 10 of **buildSubTrees** is postponed until Sect. 5.

The function **initBoxTree** performs the preprocessing step of our algorithm. Now we analyze its complexity, starting with auxiliary identities.

**Lemma 4.2.** *Let  $f : \mathbb{R}_0^+ \mapsto \mathbb{R}_0^+$  satisfy  $f(0) = 0$ . Then, for any  $n \in \mathbb{N}$ ,  $x > 0$ ,*

$$\max\left\{\sum_{k=1}^n f(\xi_k), \sum_{k=1}^n \xi_k = x, \xi_k \geq 0\right\} = \begin{cases} f(x) & , \text{if } f \text{ is convex,} \\ nf(\frac{x}{n}) & , \text{if } f \text{ is concave.} \end{cases}$$

*Proof.* A convex  $f$  with the stated properties satisfies  $f(\xi) + f(\eta) \leq f(\xi + \eta)$  for all  $\xi, \eta \geq 0$ , and, therefore, the sum becomes maximal, when only one of the  $\xi_k$  does not vanish. As  $f$  is non-decreasing, that  $\xi_k$  should attain the maximal value  $x$ .

For a concave  $f$  we find  $f(\xi) + f(\eta) \geq f(\xi + \eta)$  for all  $\xi, \eta \geq 0$ , which means that the sum becomes maximal in the case  $\xi_1 = \xi_2 = \dots = \xi_n = \frac{x}{n}$ .  $\square$

**Proposition 4.3.** (cf. [5, Thm. 2.7]) *The computational effort involved in executing **initBoxTree** for a list of  $n \in \mathbb{N}$  functions with  $d$ -dimensional tensor product supports is  $O(n \log^d n)$  for  $n \rightarrow \infty$ .*

*Proof.* To begin with, note that for  $i > 1$  **buildsubTrees**( $i$ , **root**) involves the following two passes

- (I) For each node of the tree invoke **buildFullSegTree** for direction  $i - 1$  and on the local list **loclist** of box functions.
- (II) For each node of the tree do a recursive call to **buildsubTrees** passing direction  $i - 1$  and the local list.

Write  $\omega(i, n)$  for a bound for the computational effort (in work units) it takes to execute **buildSubTrees** for direction  $i \in \{1, \dots, d-1\}$  and on a subtree created from a box function list of length  $n \in \mathbb{N}_0$ . According to (3) this tree comprises at most  $4n + 1$  nodes, which we number consecutively. We denote by  $m_k$  the length of the local box function list of node  $k$ ,  $k \in \{1, \dots, 4n + 1\}$ . In case there are fewer nodes, the excess  $m_k$  are simply set to zero. Corollary 3.4 gives us the bound

$$\sum_{k=1}^{4n+1} m_k \leq \Phi(n) := 2n(2 + \log_2(n + 1)) . \quad (6)$$

If  $i = 1$ , we merely invoke **sumLocFn**, see Listing 8, on all the local lists, with cost proportional to  $\sum_k m_k$ , which leads to the estimate

$$\omega(1, n) \leq C_s \Phi(n) , \quad (7)$$

with  $C_s > 0$  independent of  $n$  reflecting the cost of adding two objects of type **WFunction**.

If  $i > 1$  we add the effort required by the two passes in **buildSubTrees** to obtain the recursion formula

$$\omega(i, n) \leq \max \left\{ \underbrace{\sum_{k=1}^{4n+1} C_f \Phi(m_k)}_{\text{Pass (I)}} + \underbrace{\omega(i-1, m_k)}_{\text{Pass (II)}}, \sum_{l=1}^{4n+1} m_l \leq \Phi(n) \right\} , \quad (8)$$

where, according to Corollary 3.5, the cost of a call to **buildFullSegTree** from the  $k$ -th node (Pass (I) above) has been bounded by  $C_f \Phi(m_k)$ .

We continue by induction with respect to  $i$ , where, according to the assertion of the theorem, the induction hypothesis is

$$\omega(i, n) \leq C_i \Phi(n) \log_2^{i-1}(n + 1) , \quad (9)$$

which, by (7), is clearly satisfied for  $i = 1$  with  $C_1 = C_s$ . Both  $t \mapsto \omega(i - 1, t)$  and  $t \mapsto \Phi(t)$  are convex, non-negative, and vanish for  $t = 0$ . Hence, plugging (9) for  $\omega(i - 1, n)$  into (8), Lemma 4.2 yields

$$\omega(i, n) \leq C_f \Phi(\Phi(n)) + C_{i-1} \Phi(\Phi(n)) \log_2^{i-2}(\Phi(n)), \quad i \geq 2. \quad (10)$$

Tedious, but elementary computations establish that for large  $n$

$$\log_2(\Phi(n)) \leq 2 \log_2(n + 1), \quad (11)$$

$$\Phi(\Phi(n)) \leq 4 \Phi(n) \log_2(n + 1). \quad (12)$$

Combining these estimates with (10) we conclude that for sufficiently large  $n$

$$\omega(i, n) \leq 4C_f \Phi(n) \log_2(n + 1) + 4 \cdot 2^{i-1} C_{i-1} \Phi(n) \log_2(n + 1) \log_2^{i-2}(n + 1). \quad (13)$$

This amounts to the induction hypothesis for  $i$  with  $C_i = 4C_f + 2^{i+1}C_{i-1}$ .  $\square$

## 5 Point evaluation

After the discussion of the preprocessing stage, we now turn to the actual evaluation requested in Task 1. This is tackled by the function **eval**, see Listing 9, invoked for **root=initBoxTree(d,fseq)** and **i=d**, where the sequence **fseq** encodes the sum (1) as explained in Section 2. The argument **x** must pass a vector with  $d$  floating point coefficients: **typedef vector<double> Point**. The main difference to the usual point query task discussed in [5, Sect. 2.3] is that the boxes containing  $\mathbf{x}$  are not of interest.

Listing 9: Point evaluation function for box function tree

```

1 double eval(const SegTreeNode *node, int i, const Point
  &x) {
2   double val = 0.0;
3   if (node != NULL) {
4     if ((node->compintv).contains(x[i-1])) {
5       if (i == 1)
6         val = node->locfun(x);
7       else
8         val = eval(node->subtreeroot, i-1, x);
9       val += eval(node->leftson, i, x) +
10              eval(node->rightson, i, x);
11   }
  }
  return val; }

```

Listing 10: Building box function tree combined with point evaluation

```

1 const SegTreeNode *root = initBoxTree(d, fseq);
2 double psi = eval(root, d, x);

```

**Proposition 5.1.** *If  $fseq$  is an object of type  $BoxFnSeq$  encoding the sum (1), and  $\mathbf{x} \in \mathbb{R}^d$  is stored in  $\mathbf{x}$ , then the code given in Listing 10 stores the value  $\psi(\mathbf{x})$  in  $psi$ .*

*Proof of Prop. 5.1.* (i) We first establish that a specific box supported function will be taken into account at most once in **eval**. Examining the function **registerInterval** we note that due to the partition property stated in Lemma 3.6 the nodes to whose **loclist** data field a fixed box function is added must have disjoint comparison intervals.

Thus, the comparison boxes associated with the nodes of direction 1 of a box function tree that hold a particular box supported function in their **loclist** fields have to be disjoint, too. Since at most one of a set of disjoint comparison boxes is visited during the execution of **eval**, the same box function will never be summed twice.

(ii) Secondly, we show that each box supported function, whose support contains  $\mathbf{x} = (x_1, \dots, x_d)^T$  actually contributes to the sum. Pick such a function  $f$  and denote by  $B = [a_1, b_1[ \times \dots \times [a_d, b_d[$  its tensor product support, satisfying  $\mathbf{x} \in B$ .

At direction  $d$ , since  $x_d \in [a_d, b_d[$ , thanks to Lemma 3.6, there is a node  $\mathbf{N}_d$  of direction  $d$  such that

$$x_d \in (\mathbf{N}_d).compintv \quad \wedge \quad f \in (\mathbf{N}_d).loclist .$$

From Listing 9 we see that **eval** will be called for the sub-tree attached to  $\mathbf{N}_d$ , which has been built from a function list containing  $f$ . Hence, there is a node  $\mathbf{N}_{d-1}$  of direction  $d-1$  such that

$$x_{d-1} \in (\mathbf{N}_{d-1}).compintv \quad \wedge \quad f \in (\mathbf{N}_{d-1}).loclist .$$

Applying this argument recursively verifies the existence of a node  $\mathbf{N}_1$  of direction 1, whose comparison box contains  $\mathbf{x}$  and whose **loclist** includes  $f$ . Thus, the **locfun** field of  $\mathbf{N}_1$  has been initialized in **sumLocFn**, see Listing 8, from a sum comprising the  $W$ -component of  $f$ . Consequently,  $(\mathbf{N}_1).locfun(\mathbf{x})$  involves a term  $f(\mathbf{x})$ . □

Now we study the computational cost of **eval**. We make the natural assumption that the evaluation of a function  $\in W$  stored in an object of type **WFunction** at a single point takes a constant amount of work, that may depend on the dimension  $d$ , however.

**Proposition 5.2.** *If, in Listing 9, the box function tree has been created from a function list of length  $n$ , then the evaluation in Line 2 of Listing 10 requires an asymptotic computational effort  $O(\log^d n)$  for large  $n$ .*

*Proof.* At a particular direction  $i$ ,  $1 < i \leq d$ , the recursive execution of **eval** for a point  $\mathbf{x} = (x_1, \dots, x_d)^T \in [-1, 1]^d$  boils down to

- (I) visiting all nodes of direction  $i$ , whose comparison interval contains  $x_i$ , and
- (II) executing **eval** for the sub-trees of direction  $i - 1$  of those nodes.

Denote by  $\zeta(i, n)$  a bound for the cost of executing **eval** for a box function tree of dimension  $i$  built from a box function list of length  $n$ . For  $i = 1$  exactly one **WFunction** object is evaluated at  $\mathbf{x}$  on each level of the tree, which, by (2), permits us to set

$$\zeta(1, n) \leq C_e \Delta(n) \quad , \quad \Delta(n) := \log_2(n + 1) . \quad (14)$$

The cost of evaluating a single **WFunction** is incorporated through the constant  $C_e$ , which may strongly depend on  $d$ , however.

For direction  $i > 1$ , a recursive call to **eval** is made for exactly one node on each level. The local function lists of these nodes do not contain shared box functions, as explained in the proof of Prop. 5.1. Hence, based on (2), we find the recursive estimate

$$\zeta(i, n) \leq \max \left\{ \sum_{\ell=1}^{\Delta(n)} 1 + \zeta(i-1, n_\ell), \sum_{\ell=1}^{\Delta(n)} n_\ell \leq n \right\} ,$$

where  $n_k$  is the length of the local box function list attached to the  $k$ -th node (of direction  $i$ ) for which **eval** is called. Since  $t \mapsto \zeta(i, t)$  is concave with  $\zeta(i, 0) = 0$ , from Lemma 4.2 we infer

$$\zeta(i, n) \leq \Delta(n) \left( 1 + \zeta \left( i-1, \frac{n}{\Delta(n)} \right) \right) . \quad (15)$$

Then a simple induction confirms that the choice  $\zeta(i, n) := \log_2^i(n + 1)$  complies with (15) for large  $n$ .  $\square$

## 6 Empirical complexity

The theoretical complexity bounds of Prop. 4.3 and Prop. 5.2 hold for worst case scenarios concerning the arrangement of support boxes. In this section, we study the actual effort for the preprocessing and evaluation stages for concrete examples of functions  $\Psi$  and sets of evaluation points.

To gauge the cost, we measure certain operation counts for the setup phase and evaluation stage of our algorithm in different typical situations. In particular, for setup we tracked



- the execution count **Nadd** for the operation  $+=$  for objects of type **WFunction**, which is needed in the function **sumLocFn**, see Listing 8.
- the number **Ncontains** of enclosure tests for two intervals, as needed in Line 3 of **registerInterval**, see Listing 4.
- the number **Nintscts** of intersection queries for two intervals, as used in Lines 7, 10 of **registerInterval**, see Listing 4.
- a counter **Ntotinsrt** for appending box function objects to local lists, as done in Line 4 of **registerInterval**, see Listing 4.
- the total number **Nnodes** of nodes of segment trees of various directions created during setup by the **new** statements in Lines 11, 19 of **buildSegTree**, see Listing 3.

For the point evaluation as implemented in the **eval** function of Listing 9 we monitored the *average* number

- **Neval** of point evaluations of **WFunction**-objects as done in Line 6 of the **eval** function.
- **NPcont** of queries issued in Line 4 whether an interval contains a point.

## 6.1 Experiment 1

We pick  $n \in \mathbb{N}$  basis functions  $\varphi_1, \dots, \varphi_n$  with nested supports

$$\text{supp}(\varphi_i) = \left[-1 + \frac{i}{n+1}, 1 - \frac{i}{n+1}\right]^d \quad (16)$$

centered around zero. Their linear combination was evaluated for

1. the central point 0 contained in the intersection of all supports,
2. and  $10^4$  randomly chosen in  $[-1, 1]^d$ .

The various operation counts for  $d = 2, 3$  are depicted in the graphs of Figures 3, 4, and 5. They very well match the theoretical predictions of asymptotic complexity given in Proposition 4.3 and Proposition 5.2. Small wonder, since the situation that the evaluation point belongs to all support boxes should really represent the worst possible arrangement for our algorithm.




Figure 3: Experiment 1: invocation counts during initialization of the multidimensional segment tree for  $d = 2$  (left),  $d = 3$  (right).




Figure 4: Experiment 1: (average) invocation counts during point evaluation for  $d = 2$ : single point  $x = 0$  (left), randomly chosen points (right).

## 6.2 Experiment 2

We pick  $n = dk$  basis functions,  $k \in \mathbb{N}$ ,  $\varphi_1, \dots, \varphi_{dk}$  with anisotropic supports

$$\begin{aligned} \text{supp}(\varphi_i) &= \left[-1 + \frac{i}{k+1}, 1 - \frac{i}{k+1}\right] \times [-1, 1]^{d-1}, \quad i = 1, \dots, k, \\ \text{supp}(\varphi_i) &= [-1, 1] \times \left[-1 + \frac{i-k}{k+1}, 1 - \frac{i-k}{k+1}\right] \times [-1, 1]^{d-2}, \\ &\quad i = k+1, \dots, 2k, \\ &\quad \vdots \\ \text{supp}(\varphi_i) &= [-1, 1]^{d-1} \times \left[-1 + \frac{i-(d-1)k}{k+1}, 1 - \frac{i-(d-1)k}{k+1}\right], \\ &\quad i = (d-1)k+1, \dots, dk. \end{aligned}$$




Figure 5: Experiment 1: (average) invocation counts during point evaluation for  $d = 3$ : single point  $x = 0$  (left), randomly chosen points (right).

Again their linear combination was evaluated for

1. the central point 0 contained in the intersection of all supports,
2. and  $10^4$  randomly chosen in  $[-1, 1]^d$ .

Refer to Figures 6, 7, and 8 for the measured number of operations for  $d = 2, 3$ . Apparently **eval** runs faster than predicted by Proposition 5.2, which is not surprising, because each evaluation points is contained in only a small number of support boxes.




Figure 6: Experiment 2: invocation counts during initialization of the multidimensional segment tree for  $d = 2$  (left),  $d = 3$  (right).




Figure 7: Experiment 2: (average) invocation counts during point evaluation for  $d = 2$ : single point  $x = 0$  (left), randomly chosen points (right).




Figure 8: Experiment 2: (average) invocation counts during point evaluation for  $d = 3$ : single point  $x = 0$  (left), randomly chosen points (right).

### 6.3 Experiment 3

We choose  $n$  basis functions with random supports, that is, the endpoints of the intervals forming their support boxes were randomly sampled from a uniform distribution in  $[-1, 1]$  and swapped, if necessary. For  $d = 2, 3$  the operations counts are plotted against  $n$  in Figures 9 and 10. It seems that the random placement of support boxes realizes the worst case setting for our algorithm (as in Experiment 1).




Figure 9: Experiment 3: invocation counts during initialization of the multidimensional segment tree for  $d = 2$  (left),  $d = 3$  (right).




Figure 10: Experiment 3: average invocation counts during point evaluation at randomly chosen points,  $d = 2$  (left),  $d = 3$  (right).

## References

- [1] H.-J. BUNGARTZ AND M. GRIEBEL, *Sparse grids*, Acta Numerica, 13 (2004), pp. 147–269.
- [2] M. CAMPOS PINTO, *A direct and accurate adaptive semi-Lagrangian scheme for the Vlasov-Poisson equation*, Int. J. Appl. Math. Comput. Sci., 17 (2007), pp. 351–359.
- [3] M. DE BERG, M. VAN KREVELD, M. OVERMARS, AND O. SCHWARZKOPF, *Computational geometry. Algorithms and applications*, Springer, Berlin, 2nd ed., 2000.
- [4] I. KLOMPMAKER, *A semi-lagrangian scheme using adaptive sparse grids for front propagation*. Slides for Workshop on Advancing numerical methods for viscosity solutions and applications, Banff, Feb 13-18, 2011, 2011. <http://temple.birs.ca/~11w5086/Klompmaker.pdf>.
- [5] E. LANGETEPE AND G. ZACHMANN, *Geometric data structures for computer graphics*, A K Peters, Wellesley, MA, 2006.
- [6] A. STANIFORTH AND J. COTE, *Semi-Lagrangian integration scheme for atmospheric models: A review*, Monthly Weather Review, 119 (1991), pp. 2206–2223.
- [7] B. STROUSTRUP, *The C++ Programming Language*, Addison Wesley Longman, Reading, MA, 3rd ed., 1997.
- [8] G. WIDMER, R. HIPTMAIR, AND C. SCHWAB, *Sparse adaptive finite elements for radiative transfer*, J. Comp. Phys., 227 (2008), pp. 6071–6105.

# Research Reports

No.	Authors/Title
11-63	<i>R. Hiptmair, G. Phillips and G. Sinha</i> Multiple point evaluation on combined tensor product supports
11-62	<i>J. Li, M. Li and S. Mao</i> Convergence analysis of an adaptive finite element method for distributed flux reconstruction
11-61	<i>J. Li, M. Li and S. Mao</i> A priori error estimates of a finite element method for distributed flux reconstruction
11-60	<i>H. Heumann and R. Hiptmair</i> Refined convergence theory for semi-Lagrangian schemes for pure advection
11-59	<i>V.A. Hoang and Ch. Schwab</i> $N$ -term Galerkin Wiener chaos approximations of elliptic PDEs with lognormal Gaussian random inputs
11-58	<i>X. Claeys and R. Hiptmair</i> Electromagnetic scattering at composite objects: A novel multi-trace boundary integral formulation
11-57	<i>S. Mishra and L.V. Spinolo</i> Accurate numerical schemes for approximating initial-boundary value problems for systems of conservation law
11-56	<i>P. Grohs</i> Finite elements of arbitrary order and quasiinterpolation for data in Riemannian manifolds
11-55	<i>P. Grohs</i> Bandlimited shearlet-type frames with nice duals
11-54	<i>A. Kunothe and Ch. Schwab</i> Analytic regularity and GPC approximation for control problems constrained by linear parametric elliptic and parabolic PDEs
11-53	<i>Ch. Schwab and S.A. Tokareva</i> High order approximation of probabilistic shock profiles in hyperbolic conservation laws with uncertain initial data
11-52	<i>F.Y. Kuo, Ch. Schwab and I.H. Sloan</i> Quasi-Monte Carlo finite element methods for a class of elliptic partial differential equations with random coefficients
11-51	<i>A. Chernov and Ch. Schwab</i> First order $k$ -th moment finite element analysis of nonlinear operator equations with stochastic data